

**AMENDMENT IN THE CLAIMS**

**RECEIVED  
CENTRAL FAX CENTER**

**DEC. 19 2007**

Please amend Claims 1 and 65.

Please cancel Claims 30-49.

1. (currently amended) A wireless data transmission method, comprising:  
providing a first data segment;  
verifying that the first data segment for each transmission is a common hexadecimal constant that indicates transmission code is being sent;  
providing a variable second data segment that indicates making a key or breaking a key;  
providing a third data segment that indicates a context code; and  
providing a fourth data segment as an error check of the second and third data segments.
2. (previously presented) The method of Claim 1, wherein the constant of the first data segment is hexadecimal FF.
3. (original) The method of Claim 1, wherein the second data segment indicates releasing all pressed keys or releasing a single pressed key.
4. (original) The method of Claim 1, wherein the second data segment includes a value of hexadecimal 80.
5. (original) The method of Claim 1, wherein the second data segment is between hexadecimal 81 and hexadecimal FE.
6. (original) The method of Claim 1, wherein the second data segment is between hexadecimal 01 and hexadecimal 7E.
7. (original) The method of Claim 1, wherein the third data segment is between hexadecimal 00 and hexadecimal FE.

LAW OFFICES OF  
MACPHERSON KWOK CHEN  
& HEID LLP

18700 Van Kleeve, Suite 725  
Oakland, CA 94612  
PAX (415) 752-7049

v1

-2-

Serial No. 10/631,942

8. (original) The method of Claim 1, wherein the fourth data segment is used for a cyclic redundancy checksum algorithm.

9.-29. (canceled)

30.-49. (canceled)

50.-64. (canceled)

65. (currently amended) A wireless data transmission method, comprising:  
providing a first data segment;  
verifying that the first data segment for each transmission is a hexadecimal FF that indicates transmission code is being sent;  
providing a variable second data segment that indicates making a key or breaking a key;  
providing a third data segment that indicates a context code; and  
providing a fourth data segment as an error check of the second and third data segments.

66. (previously presented) The method of Claim 1, wherein the second data segment indicates releasing all pressed keys or releasing a single pressed key.

67. (previously presented) The method of Claim 1, wherein the second data segment includes a value of hexadecimal 80.

68. (previously presented) The method of Claim 1, wherein the second data segment is between hexadecimal 81 and hexadecimal FE.

69. (previously presented) The method of Claim 1, wherein the second data segment is between hexadecimal 01 and hexadecimal 7E.

70. (previously presented) The method of Claim 1, wherein the third data segment is between hexadecimal 00 and hexadecimal FE.

71. (previously presented) The method of Claim 1, wherein the fourth data segment is used for a cyclic redundancy checksum algorithm.

LAW OFFICES OF  
MACPHERSON KWOK CHEN  
& HEID LLP

18200 Von Karman, Suite 725  
(949) 752-7040  
FAX (949) 752-7049

v1

-4-

Serial No. 10/631,942